

Edit Oracle Forms web configuration in weblogic

1. Open Enterprise manager (<http://<weblogic>:<port>/em>)
2. On the left pane click "Farm_<domain>"-> "Forms"-> "forms"

ORACLE Enterprise Manager 11g Fusion Middleware Control

forms

Forms Application	WLS Instance	Status	Number Of Forms Sessions	Servlet URL	New Connect
formsapp	WLS_FORMS	↑	5	http://2001:0:9d38:6ab8:c52:350a:f516:f6ef:9001/fo...	✓

Response And Load

11 June 2014

Legend: Average Response Time (millisec) (blue line), Number Of Sessions (red line)

Table View

Resource Center

- Before You Begin
- About Oracle Forms
- Introduction to Managing Oracle Forms
- Typical Administration Tasks
- Modifying Configuration Parameters
- Modifying Oracle Forms Environment
- Modifying Oracle Forms Trace Variables
- Modifying Oracle Forms Icon And Font
- Modifying JVM Controller Variables
- Managing Forms User Sessions
- Managing Forms
- Other Resources
- Oracle Forms on the Oracle Technology Network
- Java EE for Oracle Forms Developers

3. On the drop down at the top, "Forms" -> select "Web Configuration"

ORACLE Enterprise Manager 11g Fusion Middleware Control

forms

Forms

- Home
- Monitoring
- JVM Controllers
- Schedule Prestart
- User Sessions
- Web Configuration
- Trace Configuration
- Font and Icon Mapping
- JVM Configuration
- Environment Configuration
- Associate/Disassociate OID
- General Information

Status	Number Of Forms Sessions	Servlet URL	New Connections	Web Configuration
↑	5	http://2001:0:9d38:6ab8:c52:350a:f516:f6ef:9001/fo...	✓	Web Configuration

Response And Load

11 June 2014


Legend: Average Response Time (millisec) (blue line), Number Of Sessions (red line)

Table View


Resource Center

- Before You Begin
- About Oracle Forms
- Introduction to Managing Oracle Forms
- Typical Administration Tasks
- Modifying Configuration Parameters
- Modifying Oracle Forms Environment
- Modifying Oracle Forms Trace Variables
- Modifying Oracle Forms Icon And Font
- Modifying JVM Controller Variables
- Managing Forms User Sessions
- Managing Forms
- Other Resources
- Oracle Forms on the Oracle Technology Network
- Java EE for Oracle Forms Developers

4. Click "Create Like" on the top menu



5. Select the section to duplicate (for example summit), and give it a new section name (for example: summit_AuraTester). And click "Create".



6. In the "Section" area, open the "Show" drop down and select "plugin"
7. In the "archive" property, add "AuraTesterAgent.jar," at the beginning of the value line (add comma, no space)

complex

auraplayer

Section:summit_auraplayer

Show **plugin** ▼

+ Add - Delete Override

View ▼

Defaults	Name	Value	Comments
	codebase	/forms/java	Forms applet parameter
	imageBase	codebase	Forms applet parameter
	jpi_download_page	http://java.sun.com/products/archive/j2se/...	Page displayed to users to allow th Sun's Java Plugin is typically used
	jpi_classid	clsid:CAFEEFAC-0016-0000-0012-ABCDEFF...	Parameter related to the version c
	jpi_codebase	http://java.sun.com/update/1.6.0/jinstall-6...	Parameter related to the version c
	jpi_mimetype	application/x-java-applet;jpi-version=1.6.0...	Parameter related to the version c
	archive	OraPlayerAgent.jar,frmall.jar,demc	

Rows Selected 1

8. In the "Section" area, from the "Show" drop down, select "advanced"
9. On the property "otherparams" make sure " record=%record% " (one space before and after it)

auraplayer

Section:summit_auraplayer

Show **advanced** ▼

+ Add - Delete Override

View ▼

Defaults	Name	Value	Comments
	HTMLdelimiter	%	System parameter: delimiter for parameters in
	escapeparams	true	Forms runtime argument: whether to escape c in values extracted from the URL for other run
	digitSubstitution	context	Forms runtime argument: BIDI digitSubstitution
	otherparams	obr=%obr% record=%record% tracegrou...	Other Forms runtime arguments: grouped tog These settings support running and debugging
	obr	no	Sub argument for otherparams
	term		Sub argument for otherparams
	serverURL	/forms/lservlet	Forms applet parameter: URL path to Forms L

10. Click "Apply"
11. No restart is required